

chario[®]

loudspeakers



Piccolo
your *Personal Cinema*



Piccolo Satellite

- **Low Frequency Load:** Bass reflex
- **Crossover Frequency:** 1,350 Hz
- **Drivers:** 1 woofer 100mm polymeric compound
1 tweeter 25mm soft dome
- **Rated Impedance:** 8 Ω
- **Sensitivity:** 88 dB SPL
- **Frequency @-3dB:** 90 Hz
- **Suggested Amplifiers:** Rated for 30÷80 W/8 Ω
- **Sizes:** 230x130x195 mm (HxWxD)
- **Weight:** 2 kg

Shielded



Piccolo

your *Personal Cinema*



Noce
Walnut



Noce biondo
Blond walnut



Ciliegio
Cherry



Frassino nero
Black ash



Satellite Stand

- **Sizes:** Overall height 990mm
Top plate 180x130mm
Bottom plate 350x280

Piccolo Dialogue

- **Low Frequency Load:** Bass reflex
- **Crossover Frequency:** 1,350 Hz
- **Drivers:** 2 woofer 100mm polymeric compound
1 tweeter 25mm soft dome
- **Rated Impedance:** 8 Ω
- **Sensitivity:** 88 dB SPL
- **Frequency @-3dB:** 90 Hz
- **Suggested Amplifiers:** Rated for 30÷80 W/8 Ω
- **Sizes:** 150x340x195 mm (HxWxD)
- **Weight:** 4 kg


Shielded



Piccolo SW1

- **Low Frequency Load:** Bass reflex
- **Average Electrical Power:** 100 W
- **Amplifier Type:** Discrete BJT
- **Low Pass Frequency:** 40 - 180 Hz variable
- **Driver:** 1 woofer 200mm coated paper
- **Sizes:** 380x290x390 mm (HxWxD)
- **Weight:** 18 kg

Shielded



chario[®]
loudspeakers

chario srl via Bergamo, 44 I-23087 Merate (LC)
tel. +39-039 92 75 370 Fax +39-039 99 08 741 - www.chario.it E-mail: chario@chario.it